



# **Paediatric Cancer**

## Brain

#### In Development

<b>SIOP</b> Ependymoma II; An International Multi Centre Clinical Program for the diagnosis and treatment of children, adolescents and young adults with Ependymoma	ependymoma@trials.bham.ac.uk
PNET5: An international prospective study on clinically standard-risk medulloblastoma in children with low-risk biological profile (PNET5 MB-LR) or average-risk biological profile (PNET5 MB-SR)	pnet5@trials.bham.ac.uk
<b>VINILO</b> : Phase I-II Study of Vinblastine in Combination with Nilotinib in Children, Adolescents and Young Adults with Refractory or Recurrent Low-Grade Glioma.	vinilo@trials.bham.ac.uk
INTREPID: A phase I dose escalation study of intrathecal Etoposide as a continuous infusion investigating duration and rate of infusion in patients with leptomeningeal metastatic brain cancer	intrepid@trials.bham.ac.uk

## Germ Cell

#### Open

SIOP CNS GCT II: Prospective trial for the diagnosis and treatment of	siopcnsgctii@trials.bham.ac.uk
children, adolescents and young adults with intracranial germ cell tumours	

## **Embryonic Tumour**

#### Open

HRNBL: High risk neuroblastoma study 1 of SIOP- Europe (SIOPEN)	hrnbl@trials.bham.ac.uk
<b>LuDO</b> : A phase IIa study of 177Lutetium dotatate in children with primary refractory or relapsed high risk neuroblastoma.	ludo@trials.bham.ac.uk
<b>GD2</b> : A Phase I/II dose schedule finding study of CH14.18/CHO continuous infusion combined with subcutaneous aldesleukin (IL-2) in patients with primary refractory or relapsed neuroblastoma	gd2@trials.bham.ac.uk
<b>BEACON</b> : A randomised phase IIb trial of BEvACizumab added to Temozolomide ± IrinOtecan for children with refractory/relapsed Neuroblastoma - BEACON-Neuroblastoma Trial	beacon@trials.bham.ac.uk

#### In Development

IMAT: A randomised phase I/II study of intensity modulated arc therapy	imat@trials.bham.ac.uk
techniques in abdominal neuroblastoma	

# Haematology Malignancies

### Open

EuroNet PHL-LP1: First International Inter-Group Study for Nodular Lymphocyte Predominant Hodgkin's Lymphoma in Children and Adolescents	euronetphl-lp1@trials.bham.ac.uk
Interfant 06: International collaborative treatment protocol for infants under one year with acute lymphoblastic or biphenotypic leukaemia (LK 2006 10)	interfant06@trials.bham.ac.uk
<b>UKALL 2011</b> : United Kingdom National Randomised Trial for Children and Young Adults with Acute Lymphoblastic Leukaemia and Lymphoma 2011	ukall2011@trials.bham.ac.uk
Inter-B-NHL 2010: Intergroup trial for children or adolescents with B-Cell NHL or B-AL: evaluation of rituximab efficacy and safety in high risk patients	interbnhl@trials.bham.ac.uk





### In Development

NECTAR: A Phase I trial of NECTAR (Nelarabine, Etoposide and	nectar@trials.bham.ac.uk
cyclophosphamide in T-ALL relapse): A joint study of TACL and POETIC	
MyeChild 01: International randomised phase III clinical trial in children with	Myechild01@trials.bham.ac.uk
acute myeloid leukaemia with an embedded dose finding study for	
gemtuzumab ozogamicin in combination with induction chemotherapy	
EuroNet PHL-C2: Second International Inter-Group Study for Classical	TBA
Hodgkin's Lymphoma in Children and Adolescents	

# Histiocytosis

### In Development

LCH IV: International collaborative treatment protocol for children and	lchiv@trials.bham.ac.uk
adolescents with langerhans cell histiocytosis	

## Sarcoma

. •	
RMS 2005: A protocol for non-metastatic rhabdomyosarcoma (STS 2006 04)	rms2005@trials.bham.ac.uk
VIT0910: International randomised phase II trial of the combination of Vincristine and Irinotecan with or without Temozolomide (VI or VIT) in patients with refractory or relapsed Rhabdomyosarcoma	vit0910@trials.bham.ac.uk
<b>EE2012</b> : International randomised controlled trial for the treatment of newly diagnosed Ewing's sarcoma family of tumours	ee2012@trials.bham.ac.uk
<b>rEECur:</b> International Randomised Controlled Trial of Chemotherapy for the treatment of recurrent and primary refractory Ewing sarcoma	reecur@trials.bham.ac.uk



# UNIVERSITY<sup>OF</sup> BIRMINGHAM

# **Adult Cancer**

## Bladder

#### Open

<b>TUXEDO</b> : Phase I/II feasibility study of cetuximab with 5FU and Mitomycin C or cisplatin with concurrent radiotherapy in muscle invasive bladder	tuxedo@trials.bham.ac.uk
cancer	

## **Breast**

### **Open**

LORIS: Can patients with newly diagnosed low-grade DCIS safely avoid	loris@trials.bham.ac.uk
surgery, without detriment to their psychological well-being and can those	
patients who require surgery be identified by pathological and radiological	
criteria?	

#### In Development

<b>ROSCO</b> : Response to Optimal Selection of neo-adjuvant Chemotherapy in	rosco@trials.bham.ac.uk
Operable breast cancer	

## Haematological Malignancies

## Open

CyCLLe: An early phase II trial of Cyclosporin A in early adverse risk CLL	cyclle@trials.bham.ac.uk
<b>De-Iron</b> : A phase II study of the efficacy and safety of Deferasirox administered at early iron loading in patients with transfusion-dependent Myelodysplastic Syndromes	de-iron@trials.bham.ac.uk
<b>ElAstic</b> : A phase Ib study of Eltrombopag and Azacitidine in patients with high risk myelodysplastic syndromes and related disorders	elastic@trials.bham.ac.uk
<b>HA-1</b> : A phase I clinical trial of the vaccination of healthy human volunteers against the minor histocompatibility antigen (mHAg) HA-1 using a DNA and MVA 'prime/boost' regimen	ha1@trials.bham.ac.uk
<b>LenaRIC</b> : Phase II study of the adjunctive use of lenalidomide in patients undergoing reduced intensity conditioning allogeneic transplantation for multiple myeloma	lenaric@trials.bham.ac.uk
<b>FIGARO</b> : A Randomised Trial of the FLAMSA-BU Conditioning Regimen in Patients with Acute Myeloid Leukaemia and Myelodysplasia Undergoing Allogeneic Stem Cell Transplantation	figaro@trials.bham.ac.uk
<b>MAJIC</b> : A phase II study of Ruxolitinib (INCB424) in patients with High Risk Polycythaemia Vera or Essential Thrombocythaemia resistant to or intolerant of standard therapy	majic@trials.bham.ac.uk
<b>RAvVA</b> : A Randomised Phase II Trial of 5-Azacitidine versus Vorinostat in Combination with 5-Azacitidine in patients with Newly Diagnosed, Relapsed or Refractory Acute Myeloid Leukaemia or High Risk Myelodysplastic Syndrome ineligible for intensive chemotherapy	ravva@trials.bham.ac.uk
ROMAZA: Phase I trial of Romidepsin plus Azacitidine combination therapy in patients with newly diagnosed, relapsed or refractory Acute Myeloid Leukaemia ineligible for salvage chemotherapy	romaza@trials.bham.ac.uk
<b>BREVITY</b> : A phase II study of brentuximab vedotin (SGN-35) using a response adapted design in patients with Hodgkin lymphoma unsuitable for chemotherapy due to age, frailty or co-morbidity	brevity@trials.bham.ac.uk
IcICLLe: Assessment of the mechanism of action of PCI-32765 in B-cell receptor pathway inhibition in CLL	iciclle@trials.bham.ac.uk



# UNIVERSITY<sup>OF</sup> BIRMINGHAM

<b>Viola</b> : A Phase I Trial of Combined Azacitidine and Lenalidomide Salvage Therapy in Patients with Acute Myeloid Leukaemia who Relapse after Allogeneic Stem Cell Transplantation	viola@trials.bham.ac.uk
<b>Matchpoint</b> : MAnagement of Transformed CHronic myeloid leukaemia: POnatinib and INTensive chemotherapy: a dose-finding study	matchpoint@trials.bham.ac.uk
TIER: A Phase I/II Study of Thiotepa, Ifosphamide, Etoposide and Rituximab for the treatment of relapsed and refractory primary central nervous system lymphoma	tier@trials.bham.ac.uk
In Development	

CALiBRe: Assessment of the mechanism of action of CAL-101 in B-cell receptor pathway inhibition in CLL	calibre@trials.bham.ac.uk
RomiCar: Phase I/II study to determine the maximum tolerated dose and overall response rate of the combination of romidepsin and carfilzomib in relapsed or refractory peripheral T-cell lymphoma	romicar@trials.bham.ac.uk
<b>PHAZAR</b> : A phase Ib study to assess the safety and tolerability of oral Ruxolitinib in combination with 5-azacitidine in patients with accelerated phase myeloproliferative neoplasms, myelodysplastic syndromes(MDS) or acute myeloid leukaemia (AML)	phazar@trials.bham.ac.uk
<b>Bubble:</b> Phase 1B Study of buparlisib with Bortezomib in Defined Genetic Subgroups of Patients with Relapsed or Refractory Multiple Myeloma	bubble@trials.bham.ac.uk
<b>AZTEC:</b> A phase II study of the use of azacitidine for the treatment of patients with chronic graft-versus-host-disease who have failed therapy with corticosteroids	Aztec@trials.bham.ac.uk
TORCH: A phase II study to determine the safety and efficacy of the dual mTORC inhibitor AZD2014 and to investigate additional toxicities in combination with rituximab in relapsed/refractory Diffuse Large B cell Lymphoma (DLBCL)	torch@trials.bham.ac.uk

# Head and Neck

#### Open

<b>OROMOUTH</b> : HPV prevalence in the mouth and oropharynx of the tonsillectomy population.	oromouth@trials.bham.ac.uk
<b>MVA</b> : A Cancer Research UK Phase Ib trial to determine the safety, tolerability and immunogenicity of extended schedule vaccination with MVA-EBNA1/LMP2 in patients with Epstein Barr Virus positive nasopharyngeal carcinoma	can-crctu-edd@adf.bham.ac.uk

### In Development

<b>PACIFIC</b> : Phase Ib trial of Atu027 in Combination with Cisplatin, 5-FU and Cetuximab in Patients with Head and Neck Cancer	pacific@trials.bham.ac.uk
CompARE: Phase III randomised controlled trial Comparing Alternative Regimens for escalating treatment of intermediate and high-risk oropharyngeal cancer	compare@trials.bham.ac.uk

## Liver

TACE-2: A randomised placebo-controlled, double-blinded, phase III trial of	tace2@trials.bham.ac.uk
sorafenib in combination with transarterial chemoembolisation in	
hepatocellular cancer	





### In Development

IMMUNOTACE: A phase II randomised clinical trial of conditioning cyclophosphamide and chemoembolisation with or without vaccination with Dendritic Cells pulsed with HepG2 lysate in vivo in patients with Hepatocellular Carcinoma	immunotace@trials.bham.ac.uk
ACTICCA-1: Adjuvant chemotherapy with gemcitabine and cisplatin compared to observation after curative intent resection of cholangiocarcinoma	acticca-01@trials.bham.ac.uk

# Lung

### Open

· · · · · · · · · · · · · · · · · · ·	stomp@trials.bham.ac.uk
in patients with chemosensitive small cell lung cancer	
National Lung Matrix: Multi-drug, genetic marker-directed, non-	lungmatrix@trials.bham.ac.uk
comparative, multi-centre, multi-arm phase II trial in non-small cell lung	
cancer	

### In Development

<b>SPECIAL</b> : Standard or PalliativE Care In Advanced Lung cancer. Does early referral of patients with metastatic non-small cell lung cancer to UK specialist palliative care services make a difference in their quality of life or survival?	special@trials.bham.ac.uk
<b>RUXSAC</b> : A double blind, placebo-controlled, randomised phase II study of Pemetrexed and Cisplatin with and without Ruxolitinib in Malignant Pleural Mesothelioma	ruxsac@trials.bham.ac.uk

## Prostate

## Open

<b>AdUP</b> : A Phase I Clinical Trial of a replication defective type 5 adenovirus vector expressing nitroreductase and GMCSF (AdNRGM) given via transperineal, template-guided, intra-prostatic injection, followed by intravenous CB1954, in patients with locally relapsed hormone-refractory Prostate Cancer.	adup@trials.bham.ac.uk
CANTATA: A multicentre phase II randomised controlled trial evaluating cabazitaxel versus docetaxel re-challenge for the treatment of metastatic castrate refractory prostate cancer, previously treated with docetaxel at inception of primary hormone therapy	cantata@trials.bham.ac.uk

# Renal

PAZ02: A study of pazopanib efficacy and safety in patients with advanced clear-cell renal cell carcinoma and Performance Status 2 (ECOG)	pazo2@trials.bham.ac.uk
<b>ADIUVO</b> : Efficacy of adjuvant mitotane treatment in prolonging recurrence- free survival in patients with adrenocortical carcinoma at low-intermediate risk of recurrence	adiuvo@trials.bham.ac.uk





## Sarcoma

## Open

<b>Axi-STS</b> : A clinicopathological phase II study of axitinib in patients with advanced angiosarcoma and other soft tissue sarcomas	axi-sts@trials.bham.ac.uk
<b>SCART</b> : Phase I/II study of oral MEK inhibitor Selumetinib (AZD6244 Hyd-Sulphate) in Combination with Highly Active Anti-Retroviral Therapy (HAART) in AIDS-associated Kaposi's sarcoma (KS).	scart@contacts.bham.ac.uk

## Skin

## Open

UKMCC-01: A phase II study of pazopanib in metastatic merkel cell	ukmcc-01@trials.bham.ac.uk
carcinoma	
<b>SPOT</b> : Squamous cell carcinoma Prevention in Organ transplant recipients	spot@trials.bham.ac.uk
using Topical treatments (SPOT): a feasibility study	

# Gynaecology

<b>DESKTOP III</b> : A randomized multicentre study to compare the efficacy of additional tumour de-bulking surgery versus chemotherapy alone for recurrent platinum-sensitive ovarian cancer	desktopIII@trials.bham.ac.uk
<b>EPIVIN</b> : Phase II clinical trial investigating the use of epigallocatechin-3-gallate (Veregen) in the treatment of vulval intraepithelial neoplasia	epivin@trials.bham.ac.uk





# **Paediatric Non-Cancer**

## Disease Prevention

### **Open**

**PEPtalk 2**: Pilot of a randomised controlled trial to compare VZIG and aciclovir as post-exposure prophylaxis against chickenpox in children with cancer

# **Adult Non-Cancer**

### Liver

## Open

BUTEO: A Single arm, Two-stage, Multi-centre, Phase II clinical trial	buteo@trials.bham.ac.uk
investigating the safety and activity of the use of BTT1023, a vascular	
adhesion protein (Vap-1) in the treatment of patients with Primary	
Sclerosing Cholangitis (PSC)	

#### In Development

AUTUMN: AUtologous T-regulatory cell tracking after infUsion in	autumn@trials.bham.ac.uk
autoiMmuNe liver disease patients	

## Supportive Care

#### In Development

FOAM: Folic acid supplementation in the management of menopausal	foam@trials.bham.ac.uk
symptoms in cancer survivors and healthy postmenopausal women	