

Dr Saverio Brogna PhD

Lecturer in RNA biology
Group Leader

[School of Biosciences \(/schools/biosciences/index.aspx\)](/schools/biosciences/index.aspx)

Contact details

Telephone **+44 (0)121 41 45569** (tel: [+44 121 41 45569](tel:+441214145569))

Fax +44 (0)121 41 45925

Email s.brogna@bham.ac.uk (mailto: s.brogna@bham.ac.uk)

School of Biosciences



About

I am a Lecturer in RNA biology. My group's research focuses on understanding the mechanisms that connect pre-mRNA processing with translation and Nonsense Mediated mRNA Decay (NMD). A second interest of the laboratory is understanding the functions of ribosomes and ribosomal proteins within the nucleus.

Lab page: <https://www.facebook.com/pages/BrognaLab/646045552079820> (<https://www.facebook.com/pages/BrognaLab/646045552079820>)

Qualifications

Laurea (MA) in Biological Sciences (University of Pavia)

PhD (Department of Genetics, Cambridge)

Biography

I was born in Italy (Piscopio) and did my undergraduate studies there at the University of Pavia (Collegio Ghislieri). After graduating I worked for almost 3 years in Iraklion (Crete, Greece) with Professor Babis Savakis. Following that, I did my PhD and postdoc work in the Department of Genetics in Cambridge with Professor Michael Ashburner.

After Cambridge, in 2000 I was awarded a Wellcome Trust International Prize Travelling Fellowship to work at Brandeis University (USA) with Professor Michael Rosbash.

I joined the School of Biosciences in 2000 initially on an independent Wellcome Trust fellowship and then I was awarded a Royal Society Research Fellowship (2004-13) which allowed me to start my independent research group.

Teaching

I mostly teach eukaryotic gene expression (BIO325) and I am the organiser of our Cell Biology & Physiology module (BIO152). I also a tutor and supervise graduate and undergraduate students.

Postgraduate supervision

For a list of possible PhD projects offered by Dr Brogna <http://www.findaphd.com/search/ProjectDetails.aspx?PJID=7773&LID=124>
(<http://www.findaphd.com/search/ProjectDetails.aspx?PJID=7773&LID=124>)

<http://www.findaphd.com/search/ProjectDetails.aspx?PJID=49270&LID=124> (<http://www.findaphd.com/search/ProjectDetails.aspx?PJID=49270&LID=124>)

Doctoral research


PhD title PhD title: Nonsense-mediated mRNA reduction and pre-mRNA processing in *Drosophila* (2000)

Research

Research Theme within School of Biosciences: [Molecular and Cell Biology \(/research/activity/cellbiology/index.aspx\)](/research/activity/cellbiology/index.aspx)

RNA processing and translation


Gene expression, the fundamental process that decodes the genetic blueprint, is particularly complex in eukaryotes. The primary pre-mRNA transcripts undergo several covalent modifications in the nucleus before the resulting mature mRNAs are exported to the cytoplasm. Nuclear processing includes 5' end capping, splicing and 3' end processing/polyadenylation. In the cell these processes are interconnected and coupled to transcription (1). In addition, by affecting nuclear mRNA-protein (mRNP) complexes formation, RNA processing can also have a regulatory role on protein synthesis, influencing mRNA export, mRNA localization, translation and mRNA degradation (1).



We are interested in several aspects of RNA processing, and we study them primarily in the yeast *Schizosaccharomyces pombe* and the fruitfly *Drosophila melanogaster* because of their genetic advantages. One of our main concerns is the mechanism of nonsense mediated mRNA decay (NMD) - a translation coupled process that plays an important role in quality control of gene expression by degrading abnormal mRNAs carrying premature termination codons (PTCs) (2,3). Our interest in NMD has been ignited by observations that PTCs affect spliced mRNAs much more than transcripts from




intron-less genes (2); and by our finding that PTCs can affect nuclear polyadenylation (2,4). These observations imply the existence of a link between pre-mRNA processing, translation and mRNA stability. By studying NMD we hope to better understand the mechanisms of these interconnections.



A second concern of our research is the development of techniques to visualize the recruitment of processing factors to nascent transcripts. Nascent RNAs are decorated with numerous factors, forming complex RNPs; the composition/conformation of these RNPs commits the pre-mRNAs to particular maturation pathways and determines the fate of the mature mRNAs (e.g., affect NMD). To visualize nascent RNPs we use the polytene chromosomes of *D. melanogaster* the pictures above, shows active Pol II (left) and Sm proteins (right), DNA in blue. In these expanded interphase chromosomes, each locus contains about a thousand copies of each gene and so they provide an effective system in which to analyze the association of individual proteins with sites of transcription and the nascent pre-mRNA. We track specific factors either by immunostaining or by using

transgenic flies expressing fluorescently tagged proteins.



A third interest of the group is to visualize translation. We have tagged the small and large ribosomal subunits with fluorescent proteins (see picture above). We use this technique to visualize ribosomal subunits interaction sites in *Drosophila* cells, including neurons (the picture above shows the fly optical nerve expressing a GFP-tagged ribosomal protein). By using this technique we have made the remarkable discovery that translating ribosomes are also present in the cell nucleus (5). We are now interested in identifying the ribosome or ribosomal subunits-associated RNAs within the nucleus.

Applications for PhD student and postdoc positions are welcome at any time.

References

1. Moore, M. J., and Proudfoot, N. J. (2009) *Cell* 136(4), 688-700
2. Brogna, S., and Wen, J. (2009) *Nat Struct Mol Biol* 16(2), 107-113
3. Muhlemann, O., Eberle, A. B., Stalder, L., and Zamudio Orozco, R. (2008) *Biochimica et Biophysica Acta (BBA) - Gene Regulatory Mechanisms* 1779(9), 538-549
4. Brogna, S. (1999) *RNA* 5(4), 562-573
5. Al-Jubran et al.(2013). *RNA* 19(12):1669-83.

The lab has received funds from **The Royal Society** (<http://royalsociety.org>) and **Wellcome Trust** (<http://www.wellcome.ac.uk>).

Other activities

Reviewer for several journals plus national and international funding agencies.

Publications

Al-Jubran K, Wen J, Abdullahi A, Roy Chaudhury S, Li M, Ramanathan P, Matina A, De S, Piechocki K, Rugjee KN, **Brogna S**. Visualization of the joining of ribosomal subunits reveals the presence of 80S ribosomes in the nucleus. *RNA*. 2013 Oct 15.

<http://rnajournal.cshlp.org/content/19/12/1669.full> (<http://rnajournal.cshlp.org/content/19/12/1669.full>)

De S, Versally W, Falciani F, **Brogna S**. Ribosomal proteins association with transcription sites peaks at tRNA genes in *Schizosaccharomyces pombe*. *RNA*. 2011 Sep;17(9):1713-26.

<http://rnajournal.cshlp.org/content/17/9/1713.full?sid=5d2a894c-c947-4380-9523-6c9f4170e431> (<http://rnajournal.cshlp.org/content/17/9/1713.full?sid=5d2a894c-c947-4380-9523-6c9f4170e431>)

Guo J, Garrett M, Micklem G, Brogna S. PolyA signals located near the 5' of genes are silenced by a general mechanism that prevents premature 3' end processing. *Mol Cell Biol*. 2010 Dec 6.

<http://preview.ncbi.nlm.nih.gov/pubmed/21135120> (<http://preview.ncbi.nlm.nih.gov/pubmed/21135120>)

Wen J, Brogna S. Splicing-dependent NMD does not require the EJC in *Schizosaccharomyces pombe*. *EMBO J*. 2010 May 5;29(9):1537-51.

<http://preview.ncbi.nlm.nih.gov/pubmed/20360683> (<http://preview.ncbi.nlm.nih.gov/pubmed/20360683>)

Brogna S, Wen J. Nonsense-mediated mRNA decay (NMD) mechanisms. *Nat Struct Mol Biol*. 2009 Feb;16(2):107-13.

<http://preview.ncbi.nlm.nih.gov/pubmed/19190664> (<http://preview.ncbi.nlm.nih.gov/pubmed/19190664>)

More papers in Pubmed:

<http://preview.ncbi.nlm.nih.gov/sites/entrez?db=pubmed&cmd=DetailsSearch&term=brogna+s> (<http://preview.ncbi.nlm.nih.gov/sites/entrez?db=pubmed&cmd=DetailsSearch&term=brogna+s>)

