

- 1. Knight, D.W., 1973**, Theoretical studies of long wave propagation in estuaries of finite length, *Proceedings of the International Symposium on River Mechanics*, International Association for Hydraulic Research, Bangkok, Thailand, Vol. 3, Jan., Paper C28, 327-338. [C]
- 2. Knight, D.W., 1973**, Long wave propagation in idealised estuary, *Journal of the Hydraulics Division*, ASCE, Vol. 99, No. HY7, Proc. Paper 9842, July, 993-1007. [J]
- 3. Knight, D.W., 1975**, Velocity and shear stress distributions in oscillatory flow, *Proceedings of the 16th Congress*, International Association for Hydraulic Research, Sao Paulo, Brazil, Vol. 1, July, Paper A9, 66-72. [C]
- 4. Knight, D.W., 1975**, A laboratory study of local scour at bridge piers, *Proceedings of the 16th Congress*, International Association for Hydraulic Research, Sao Paulo, Brazil, Vol. 2, July, Paper B31, 240-250. [C]
- 5. Knight, D.W. and Ridgway, M.A., 1976**, An experimental investigation of tidal phenomena in a rectangular estuary, *Proceedings of the International Symposium on Unsteady Flow in Open Channels*, British Hydromechanics Research Association, Cranfield, England, April, Paper B3, 25-40. [C]
- 6. Knight, D.W. and Ridgway, M.A., 1977**, Velocity distribution in unsteady open channel flow with different boundary roughnesses, *Proceedings of the 17th Congress*, International Association of Hydraulic Research, Baden-Baden, Germany, Vol. 2, August, Paper A130, 437-444. [C]
- 7. Knight, D.W. and West, J.R., 1977**, The planning and control of estuary hydrodynamic and water quality surveys, *Proceedings of the 17th Congress*, International Association of Hydraulic Research, Baden-Baden, Germany, Vol. 3, August, Paper B 29, 227-233. [C]
- 8. Knight, D.W., 1978**, Review of oscillatory boundary layer flow, *Journal of the Hydraulics Division*, ASCE, Vol. 104, No. HY6, Proc. Paper 13796, June, 839-855. [J]
- 9. Knight, D.W. and Macdonald, J.A., 1979**, Hydraulic resistance of artificial strip roughness, *Journal of the Hydraulics Division*, ASCE, Vol. 105, No. HY6, Proc. Paper 14635, June, 675-690. [J]
- 10. Knight, D.W. and Macdonald, J.A., 1979**, Open channel flow with varying bed roughness, *Journal of the Hydraulics Division*, ASCE, Vol. 105, No. HY9, Proc. Paper 14839, Sept., 1267-1183. [J]
- 11. Knight, D.W., Rodgers, J.R., Shiono, K., Waters, C.B. and West, J.R., 1980**, The measurement of vertical turbulent exchange in tidal flows, *Proceedings of the 2nd International Symposium on Stratified Flows*, International Association for Hydraulic

Research, Trondheim, Norway, June, 722-730. [C]

**12. Knight, D.W., 1981**, Some field measurements concerned with the behaviour of resistance coefficients in a tidal channel, *Estuarine, Coastal and Shelf Science*, Academic Press, London, No. 12, 303-322. [J]

**13. Knight, D.W., 1981**, Boundary shear in smooth and rough channels, *Journal of the Hydraulics Division*, ASCE, Vol. 107, No. HY7, Proc. Paper 16364, July, 839-851. [J]

**14. Knight, D.W., Patel, H.S., Demetriou, J.D. and Hamed, M.E., 1982**, "Boundary shear stress distributions in open channel and closed conduit flows", *Proceedings of Euromech 156 - The Mechanics of Sediment Transport*, [Eds B. Mutlu Sumer & A. Muller], Istanbul, July, A.A. Balkema, Rotterdam, Netherlands, 33-40. [C]

**15. Knight, D.W. and Demetriou, J.D., 1983**, Flood plain and main channel flow interaction, *Journal of Hydraulic Engineering*, ASCE, Vol. 109, No. 8, August, 1073-1092. [J]

**16. Roberts, J.D., Freer-Hewish, R.J. and Knight, D.W., 1983**, Modelling of hydraulic drag forces on submersible bridge decks, *Proceedings 4th Road Engineering Association of Asia and Australasia (REAA)*, Jarkarta, Indonesia, August, 1-11. [C]

**17. Knight, D.W., Demetriou, J.D. and Hamed, M.E., 1983**, Hydraulic analysis of channels with flood plains, *Proceedings Int. Conf. on Hydraulic Aspects of Floods and Flood Control*, British Hydromechanics Research Association, London, Sept., Paper E1, 129-144. [C]

**18. Knight, D.W., Demetriou, J.D. and Hamed, M.E., 1984**, Boundary shear in smooth rectangular channels, *Journal of Hydraulic Engineering*, ASCE, Vol. 110, No. 4, April, 405-422. [J]

**19. Knight, D.W., Demetriou, J.D. and Hamed, M.E., 1984**, Stage-discharge relationships for compound channels, *Proceedings Int. Conf. on Hydraulic Design in Water Resources Engineering: Channels and Channel Control Structures*, [Ed K.V.H. Smith], Southampton, April, Springer-Verlag, Heidelberg, 4.21-4.35. [C]

**20. Knight, D.W. and Hamed, M.E., 1984**, Boundary shear in symmetrical compound channels, *Journal of Hydraulic Engineering*, ASCE, Vol. 110, No. 10, October, 1412-1430. [J]

**21. West, J.R., Knight, D.W. and Shiono, K., 1984**, A note on the flow structure in the Great Ouse estuary, *Estuarine, Coastal and Shelf Science*, Academic Press, London, No. 19, October, 271-290. [J]

**22. Wallis, S.G. and Knight, D.W., 1984**, Calibration studies concerning a one-dimensional numerical tidal model with particular reference to resistance coefficients,

*Estuarine, Coastal and Shelf Science*, Academic Press, London, No. 19, 541-562. [J]

**23. Knight, D.W. and Patel, H.S., 1985**, Boundary shear in smooth rectangular ducts, *Journal of Hydraulic Engineering*, ASCE, Vol. 111, No. 1, 29-47. [J]

**24. West, J.R., Knight, D.W. and Shiono, K., 1985**, A note on the determination of vertical turbulent transport coefficients in a partially mixed estuary, *Proceedings Institution of Civil Engineers*, London, Part 2, Research and Theory, Vol. 79, June, 235-246. [J]

**25. Knight, D.W., 1985**, Advances in river engineering, *Proc. Int. Symposium on Advances in Water Engineering*, (Edited by T.H.Y. Tebbutt), University of Birmingham, July, Elsevier Applied Science, London, 278-288. [C]

**26. Knight, D.W. and Lai, C.J., 1985**, Turbulent flow in compound channels and ducts, *Proc. 2nd Int. Symposium on Refined Flow Modelling and Turbulence Measurements*, Iowa, USA, Sept., Hemisphere Publishing Co., I21-1 to I21-10. [C]

**27. Knight, D.W. and Patel, H.S., 1985**, Boundary shear stress distributions in rectangular duct flow, *Proc. 2nd Int. Symposium on Refined Flow Modelling and Turbulence Measurements*, Iowa, USA, Sept., Hemisphere Publishing Co., I22-1 to I22-10. [C]

**28. West, J.R., Knight, D.W. and Shiono, K., 1986**, Turbulence measurements in the Great Ouse estuary, *Journal of Hydraulic Engineering*, ASCE, Vol. 112, No. 3, March, 167-180. [J]

**29. Knight, D.W. and Sellin, R.H.J., 1987**, The SERC Flood Channel Facility, *Journal of the Institution of Water and Environmental Management*, Vol. 1, No. 2, October, 198-204. [J]

**30. Knight, D.W., 1987**, Dissemination of information to practising engineers and researchers in the water industry, *Journal of the Institution of Water and Environmental Management*, Vol. 1, No. 3, December, 315-324. [J]

**31. Shiono, K. and Knight, D.W., 1988**, Two-dimensional analytical solution for a compound channel, *Proc. 3rd Int. Symposium on Refined Flow Modelling and Turbulence Measurements*, Tokyo, Japan, July, 503-510. [C]

**32. Lai, C.J. and Knight, D.W., 1988**, Distributions of streamwise velocity and boundary shear stress in compound ducts, *Proc. 3rd Int. Symposium on Refined Flow Modelling and Turbulence Measurements*, Tokyo, Japan, July, 527-536. [C]

**33. Knight, D.W., 1989**, Hydraulics of flood channels, in *Floods: Hydrological, sedimentological and geomorphological implications* (Ed. K. Beven), J. Wiley & Sons,

Chapter 6, 83-105. [B]

**34. Shiono, K. and Knight, D.W., 1989**, Transverse and vertical Reynolds stress measurements in a shear layer region of a compound channel, *7th Int. Symp. on Turbulent Shear Flows*, Stanford University, USA, August 21-23, Paper 28-1, 1-6. [C]

**35. Knight, D.W., Shiono, K. and Pirt, J., 1989**, Prediction of depth mean velocity and discharge in natural rivers with overbank flow, *Proc. Int. Conf. on Hydraulic and Environmental Modelling of Coastal, Estuarine and River Waters*, (Ed. R.A. Falconer, P. Goodwin, R.G.S. Matthew), Gower Technical, University of Bradford, September, Paper 38, 419-428. [C]

**36. Knight, D.W. , Samuels, P.G. and Shiono, K., 1990**, River flow simulation: research and developments, *Journal of the Institution of Water and Environmental Management*, Vol. 4, No. 2, April, 163-175. [J]

**37. Knight, D.W. and Shiono, K., 1990**, Turbulence measurements in a shear layer region of a compound channel, *Journal of Hydraulic Research*, IAHR, Vol. 28, No. 2, 175- 196, (Discussion in IAHR Journal, 1991, Vol. 29, No. 2, 259-276). [J]

**38. Shiono, K. and Knight, D.W., 1990**, Turbulence measurements by LDA in complex open channel flows, *Proc. 5th Int. Symp. on Applications of Laser Techniques to Fluid Mechanics*, July, Lisbon, Portugal, Paper 3.5, 1-6. [C]

**39. Shiono, K. and Knight, D.W., 1990**, Mathematical models of flow in two or multi stage straight channels, *Proc. Int. Conf. on River Flood Hydraulics*, (Ed. W.R. White), Wallingford, September, J. Wiley & Sons, Paper G1, 229-238. [C]

**40. Yuen, K.W.H. and Knight, D.W., 1990**, Critical flow in a two stage channel, *Proc. Int. Conf. on River Flood Hydraulics*, (Ed. W.R. White), Wallingford, September, J. Wiley & Sons, Paper G4, 267-276. [C]

**41. Shiono, K. and Knight, D.W., 1991**, Turbulent open channel flows with variable depth across the channel, *Journal of Fluid Mechanics*, Vol. 222, pp.617-646 (and Vol. 231, October, p 693). [J]

**42. Wallis, S.G. and Knight, D.W., 1992** , On quality assurance for numerical tidal models, *Int. Conf. on Computer Modelling of Seas and Coastal Regions*, Southampton, April, Paper , 1-12. [C]

**43. Knight, D.W., Al-Hamid, A.A.I. and Yuen, K.W.H., 1992**, Boundary shear in differentially roughened trapezoidal channels, In *Hydraulic and Environmental Modelling : Estuarine and River Waters* (Eds R.A. Falconer, K. Shiono & R.G.S. Matthew), Ashgate Press, 3-14. [C]

**44. Whitlow, C.D. and Knight, D.W., 1992**, An investigation of the effect of different

discretisations in river models and a comparison of non-conservative and conservative formulation of the de St. Venant equations, In *Hydraulic and Environmental Modelling : Estuarine and River Waters* (Eds R.A.Falconer, K. Shiono & R.G.S. Matthew), Ashgate Press, 115-126. [C]

**45. Knight, D.W., Yuan, Y.M. and Fares, Y.R., 1992**, Boundary shear in meandering river channels, *Proc. Int. Symp. on Hydraulic Research in Nature and Laboratory*, Yangtze River Scientific Research Institute, Wuhan, China, November, Vol. 2, 102-107. [C]

**46. Knight, D.W., Yuen, K.W.H. and Alhamid, A.A.I., 1994**, Boundary shear stress distributions in open channel flow, in *Physical Mechanisms of Mixing and Transport in the Environment*, (Eds K. Beven, P. Chatwin & J. Millbank), J. Wiley, Chapter 4, 51-87. [B]

**47. Rhodes, D.G. and Knight, D.W., 1994**, Distribution of shear force on boundary of smooth rectangular duct, *Journal of Hydraulic Engineering*, ASCE, Vol. 120, No. 7, July, 787-807. [J]

**48. Knight, D.W. and Cao, S., 1994**, Boundary shear in the vicinity of river banks, *ASCE National Conference on Hydraulic Engineering*, Buffalo, New York, August, Vol. 2, 954-958. [C]

**49. Rhodes, D.G. and Knight, D.W., 1994**, Anomalous measurements in a compound duct, *ASCE Symposium on Fundamentals and Advancements in Hydraulic Measurements and Experimentation*, Buffalo, New York, August, Vol. 2, 311-320. [C]

**50. Rhodes, D.G. and Knight, D.W., 1994**, Velocity and boundary shear in a wide compound duct, *Journal of Hydraulic Research*, IAHR, Vol. 32, No. 5, October, 743-764.[J]

**51. Cao, S. and Knight, D.W., 1995**, Design of threshold channels, *26th IAHR Congress*, London, International Association for Hydraulic Research, September, HYDRA 2000, Vol.1, Thomas Telford, 516-521. [C]

**52. Knight, D.W. and Yu, G., 1995**, A geometric model for self formed channels in uniform sand, *26th IAHR Congress*, London, International Association for Hydraulic Research, September, HYDRA 2000, Vol.1, Thomas Telford, 354- 359. [C]

**53. Rhodes, D.G. and Knight, D.W., 1995**, Lateral shear in a compound duct, *26th IAHR Congress*, London, International Association for Hydraulic Research, September, HYDRA 2000, Vol.1, Thomas Telford, 51-56. [C]

**54. Cao, S. and Knight, D.W., 1995**, New concept of hydraulic geometry of threshold channels, *Proc. 2nd Symposium on the Basic Theory of Sedimentation*, Sedimentation

Committee of China, Beijing, China, October, 195-200 (in Chinese). [C]

**55. Rhodes, D.G. and Knight, D.W., 1995**, Lateral shear in a wide compound duct, *Journal of Hydraulic Engineering*, ASCE, Vol. 121, No. 11, November, 829-832. [J]

**56. Knight, D.W., 1996**, River management in the UK and the determination of the conveyance and sediment transport capacity of flood channels, *Proc. Int. Seminar on Recent Trends of Floods and their Preventive Measures*, Hokkaido River Disaster Prevention Research Center, Sapporo, Japan, June, 87-106. [C]

**57. Knight, D.W., 1996**, Issues and directions in river mechanics - closure of sessions 2, 3 and 5, In '*Issues and directions in hydraulics*', [Ed T Nakato & R Ettema], An Iowa Hydraulics Colloquium in honour of Professor John F Kennedy, Iowa Institute of Hydraulic Research, Iowa, USA, Balkema, 435- 462. [B]

**58. Knight, D.W. and Shiono, K., 1996**, River channel and floodplain hydraulics, in *Floodplain Processes*, (Eds Anderson, Walling & Bates), Chapter 5, J Wiley, 139-181. [B]

**59. Cao, S. and Knight, D.W., 1996**, Shannon 's entropy-based bank profile equation of threshold channels, In *Stochastic Hydraulics '96*, [eds Tickle, Goulter, Xu, Wasimi & Bouchart], Proc 7th IAHR Int. Symp. on Stochastic Hydraulics, Central Queensland University, Australia, July, Balkema, 169-175. [C]

**60. Rhodes, D.G. and Knight, D.W., 1996**, Distribution of local friction factor in a compound duct, *Proc. 10th Asian and Pacific Division IAHR-APD Congress*, [Eds Lee, S.C., Hiew, K.L. and Ong, S.H.], National Hydraulic Research Institute, Malaysia, 26-29 August, Vol. 2, 220 -227. [C]

**61. Knight, D.W. and Abril, B., 1996**, Refined calibration of a depth-averaged model for turbulent flow in a compound channel, *Proc. Instn. of Civil Engineers, Water, Maritime and Energy Division*, London, Vol.118, Issue 3, Sept., Paper No. 11017, 151-159. [J]

**62. Cao, S. and Knight, D.W., 1996**, Regime theory of alluvial channels based upon the concepts of stream power and probability, *Proc. Instn. of Civil Engineers, Water, Maritime and Energy Division*, London, Vol.118, Issue 3, Sept., Paper No. 11029, 160-167. [J]

**63. Cao, S. and Knight, D.W., 1997**, Entropy-based design approach of threshold alluvial channels, *Journal of Hydraulic Research*, IAHR, Vol. 35, No. 4, 505-524. [J]

**64. Yu, G. and Knight, D.W., 1998**, Geometry of self-formed straight threshold channels in uniform material, *Proc. Instn. of Civil Engineers, Water, Maritime and Energy Division*, London, Vol. 130, March, Paper No. 11398, 31-41. [J]

- 65. Cao, S. and Knight, D.W., 1998**, Design for hydraulic geometry of alluvial channels, *Journal of Hydraulic Engineering*, ASCE, Vol. 124, No. 5, May, 484-492. [J]
- 66. Thorne, C., Knight, D.W. et al, 1998**, River width adjustment. Part I : Processes and mechanisms, *Journal of Hydraulic Engineering*, ASCE, Task Committee on Hydraulics, Bank Mechanics and the Modelling of River Width Adjustment, Sept., Vol. 124, No. 9, 881-902. [J]
- 67. Darby, S., Knight, D.W. et al, 1998**, River width adjustment. Part II : Modelling, *Journal of Hydraulic Engineering*, ASCE, Task Committee on Hydraulics, Bank Mechanics and the Modelling of River Width Adjustment, Sept., Vol. 124, No. 9, 903-917. [J]
- 68. Atabay, S. and Knight, D.W., 1999**, Stage discharge and resistance relationships for laboratory alluvial channels with overbank flow, In River Sedimentation [Eds A W Jayawardena, J H W Lee & Z Y Wang], *Proc. Seventh International Symposium on River Sedimentation, Hong Kong, December 1998*, 223-229. [C]
- 69. Knight, D.W., Brown F.A., Ayyoubzadeh S.A. & Atabay, S., 1999**, Sediment transport in river models with overbank flow, In River Sedimentation [Eds A W Jayawardena, J H W Lee & Z Y Wang], *Proc. Seventh International Symposium on River Sedimentation, Hong Kong, 16 - 18 December 1998*, Balkema, 19-25. [C]
- 70. Liu, X., Knight, D.W., Gong. T. and Jiu, B., 1999**, Lateral turbulent dispersion in compound channels: some experimental and field results, In Environmental Hydraulics [Eds A W Jayawardena, J H W Lee & Z Y Wang], *Proc. Second International Symposium on Environmental Hydraulics, Hong Kong, 16 - 18 December 1998*, Balkema, 369-374. [C]
- 71. Shiono, K., Al-Romaih, J.S. and Knight, D.W., 1999**, Stage-discharge assessment in compound meandering channels, *Journal of Hydraulic Engineering*, ASCE, Vol. 125, No. 1, January, 66-77. [J]
- 72. Knight, D.W., 1999**, Flow mechanisms and sediment transport in compound channels, *Proc. 1st Sino-US Workshop on Sediment Transport and Disasters*, 15-17 March, Special Issue of International Journal of Sediment Research, [Eds Z. Y. Wang, T. W. Soong, & B.C. Yen], Vol. 14, No. 2, Beijing, China, 217-236. [J]
- 73. Liu, X, Cao, S., Knight, D.W. & Ban, J., 1999**, Stability of Nianchu River after regulation by straightening: a case study from Tibet, China, *Proc. 1st Sino-US Workshop on Sediment Transport and Disasters*, 15-17 March, Special Issue of International Journal of Sediment Research, [Eds Z. Y. Wang, T. W. Soong, & B.C. Yen], Vol. 14, No. 2, Beijing, China, 267-274. [J]
- 74. Myers W. R. C., Knight, D.W., Lyness, J.F., Cassells, J. & Brown, F.A., 1999**, Resistance coefficients for inbank and overbank flows, *Proc. Instn. of Civil Engineers*,

*Water, Maritime and Energy Division*, London, Vol. 138, Issue 2, June, 105-115. [J]

**75. Tang, X., Knight, D.W., and Samuels, P.G., 1999**, Volume conservation in variable parameter Muskingum-Cunge method, *Journal of Hydraulic Engineering*, ASCE, Vol. 125, No. 6, June, 610-620. [J]

**76. Knight, D.W., and Samuels, P.G., 1999**, Localised flow modelling of bridges, sluices and hydraulic structures under flood flow conditions, *Proc. 34th MAFF Conference of River and Coastal Engineers*, Keele University, June, 1.2.1-1.2.13. [C]

**77. Mohammadi, M. and Knight, D.W., 1999**, Threshold for sediment motion in V-shaped channels, 28th IAHR Congress, Graz, Austria, August, Session B5, 1-6. [C]

**78. Tang, X., Knight, D.W., and Samuels, P.G., 1999**, "Variable parameter Muskingum-Cunge method for flood routing in a compound channel", *Journal of Hydraulic Research*, IAHR, Vol. 37, No. 5, 591-614. [J]

**79. Shiono, K., Muto, Y., Knight, D.W., and Hyde, A.F.L., 1999**, Energy losses due to secondary flow and turbulence in meandering channels with overbank flow, *Journal of Hydraulic Research*, IAHR, Vol. 37, No. 5, 641-664. [J]

**80. Knight, D.W., Brown, F.A., Valentine, E.M., Nalluri, C., Bathurst, J.C., Benson, I.A., Myers, W.R.C., Lyness, J.F., and Cassells, J.B., 1999**, The response of straight mobile bed channels to inbank and overbank flows, *Proc. Instn. of Civil Engineers, Water, Maritime and Energy Division*, London, Vol. 136, Dec., 211-224. [J]

**81. Knight, D.W. and Sterling, M.S., 2000**, Boundary shear in circular pipes running partially full, *Journal of Hydraulic Engineering*, ASCE, Vol. 126, No. 4, April, 263-275. [J]

**82. Sterling, M.S. and Knight, D.W., 2000**, Resistance and boundary shear in circular conduits with flat beds running part full, *Proc. Instn. of Civil Engineers, Water and Maritime Engineering*, London, Vol. 142, Issue 4, Dec., 229-240. [J]

**83. Tang, X., Knight, D.W., and Samuels, P.G., 2001**, Wave speed-discharge relationship from cross-section survey, *Proc. Instn. of Civil Engineers, Water and Maritime Engineering*, London, 148, June, Issue 2, 81-96. [J]

**84. Sterling, M.S. and Knight, D.W., 2001**, The free overfall as a flow measuring device in a circular channel, *Proc. Instn. of Civil Engineers, Water and Maritime Engineering*, London, 148, December, Issue 4, 235-243. [J]

**85. Knight, D.W. and Brown, F.A., 2001**, Resistance studies of overbank flow in rivers with sediment using the Flood Channel Facility, *Journal of Hydraulic Research*, IAHR, Vol. 39, No. 3, 283-301. [J]

- 86. Knight, D.W., 2001**, Flow and sediment transport in two-stage channels, *Keynote Lecture, Proc. 2<sup>nd</sup> IAHR Symposium on River, Coastal and Estuarine Morphodynamics*, September, Obihiro, Japan, 1-20. [C]
- 87. Tang, X., and Knight, D.W., 2001**, Migration rate of bed forms in a compound channel with overbank flow, *Proc. 2<sup>nd</sup> IAHR Symposium on River, Coastal and Estuarine Morphodynamics*, September, Obihiro, Japan, 545-553. [C]
- 88. Tang, X., and Knight, D.W., 2001**, Analysis of bed form dimensions in a compound channel, *Proc. 2<sup>nd</sup> IAHR Symposium on River, Coastal and Estuarine Morphodynamics*, September, Obihiro, Japan, 555-563. [C]
- 89. Tang, X., and Knight, D.W., 2001**, Experimental study of stage-discharge relationships and sediment transport rates in a compound channel, *Proc. 29<sup>th</sup> IAHR Congress, Hydraulics of Rivers, Theme D, Vol II*, September, Beijing, China, Tsinghua University Press, 69-76. [C]
- 90. Fisher, K.R., and Knight, D.W., 2002**, Improved roughness and velocity prediction for instream habitats – development and comparison of methods, *Proc. 4<sup>th</sup> Int. Ecohydraulics Symposium, Cape Town, South Africa, March*, pp. [C]
- 91. Sterling, M.S. and Knight, D.W., 2002**, An attempt at using the entropy approach to predict the transverse distribution of boundary shear stress in open channel flow, *Journal of Stochastic Environmental research and Risk Assessment*, Vol. 16, Springer-Verlag, 127-142. [J]
- 92. Mohammadi, M., Knight, D.W., and Wilson, D., 2002**, An experimental investigation of Bridgeflow II kerb channel units, *International Journal of Engineering, Transactions B: Applications*, Iran, Vol. 15, No. 1, April, 23-40. [J]
- 93. Fleming, G., Frost, L., Huntingdon, S., Knight, D.W., Law, F. and Rickard, C., 2002**, Flood risk management, Thomas Telford, London. [B]
- 94. Atabay, S. A. and Knight, D.W., 2002**, The influence of floodplain width on the stage-discharge relationship for compound channels, *River Flow 2002, Proc. Int. Conf. on Fluvial Hydraulics*, Louvain-la-Neuve, Belgium, Sept., Vol. 1, 197-204, Balkema. [C]
- 95. Abril, J.B. and Knight, D.W., 2002**, Sediment transport simulation of the Paute river using a depth-averaged flow model, *River Flow 2002, Proc. Int. Conf. on Fluvial Hydraulics*, Louvain-la-Neuve, Belgium, Sept., Vol. 2, 895-901, Balkema. [C]
- 96. Cao, S. and Knight, D.W., 2002**, Review of regime theory of alluvial channels, *Journal of Hydrodynamics*, Series B, 3, China Ocean Press, Beijing, 1-7. [J]
- 97. Tang, X. and Knight, D.W., 2003**, Study of sediment transport in a compound

channel with non-uniform flow, *Proc. 3 rd Int Conf. on River, Coastal and Estuarine Morphodynamics*, Barcelona, 857-864. [C]

**98. Abril, J.B. and Knight, D.W., 2004**, Stabilising the Paute river in Ecuador, *Civil Engineering*, Proceedings of the Instn. of Civil Engineers, London, 156, February, 32-38. [J]

**99. Atabay, S., Knight, D.W. and Seckin, G., 2004**, Influence of a mobile bed on the boundary shear in a compound channel, *River Flow 2004, Proc. 2 nd Int. Conf. on Fluvial Hydraulics, 23-25 June, Napoli, Italy* [Eds M. Greco, A. Carravetta & R.D. Morte], Vol. 1, 337-345. [C]

**100. Tominaga, A. and Knight, D.W., 2004** , Numerical evaluation of secondary flow effects on lateral momentum transfer in overbank flows, *River Flow 2004, Proc. 2 nd Int. Conf. on Fluvial Hydraulics, 23-25 June, Napoli, Italy* [Eds M. Greco, A. Carravetta & R.D. Morte], Vol. 1, 353-361. [C]

**101. Knight, D.W., Omran, M. & Abril, J.B., 2004** , Boundary conditions between panels in depth-averaged flow models revisited, *River Flow 2004, Proc. 2 nd Int. Conf. on Fluvial Hydraulics, 23-25 June, Napoli, Italy*[Eds M. Greco, A. Carravetta & R.D. Morte], Vol. 1, 371-380. [C]

**102. Abril, J.B. and Knight, D.W., 2004**, Stage-discharge prediction for rivers in flood applying a depth-averaged model, *Journal of Hydraulic Research, IAHR*, 42, No. 6, 616-629. [J]

**103. Knight, D.W., 2005**, Sediment transport in rivers with overbank flow, *Keynote lecture, 4 th German-Chinese Workshop on Unsteady Sediment Transport*, October, 2004, Journal of Sichuan University, Engineering Science Edition, Chengdu, China, Vol. 37, Supp 2005, 16-29. [J]

**104. Atabay, S., Knight, D.W. and Seckin, G., 2005** , Effects of overbank flow on fluvial sediment transport rates, *Water Management*, Proceedings of the Instn. of Civil Engineers, London, 158, WM1, March, 25-34. [J]

**105. Araujo, J.C. and Knight, D.W., 2005** , Assessment of sediment yield of watersheds by reservoir survey and simulation modelling in Brazilian semiarid environment, *Geomorphologicla Processes and Human Impacts in River Basins, (Proc. Int. Conf. held at Solsona, Catalonia, Spain, May 2004)*, IAHS Publ. 299, 2005, 1-7. [C]

**106. Knight D.W. and Shamseldin, A., 2006**, *River Basin Modelling for Flood Risk Mitigation* [Eds DW Knight & A Y Shamseldin], Taylor & Francis, 1-607 [B]

**107. Knight D.W., 2006**, Introduction to flooding and river basin modelling, Chapter 1 in *River Basin Modelling for Flood Risk Mitigation* [Eds DW Knight & A Y

Shamseldin], Taylor & Francis, 1-19 [B]

**108. Knight D.W., 2006**, River flood hydraulics: theoretical issues and stage-discharge relationships, Chapter 17 in *River Basin Modelling for Flood Risk Mitigation* [Eds DW Knight & A Y Shamseldin], Taylor & Francis, 301-334. [B]

**109. Knight D.W., 2006**, River flood hydraulics: calibration issues in one-dimensional flood routing models, Chapter 18, in *River Basin Modelling for Flood Risk Mitigation* [Eds DW Knight & A Y Shamseldin], Taylor & Francis, 335-385. [B]

**110. Tang, X. and Knight, D.W., 2006** , Sediment transport in river models with overbank flows, *Journal of Hydraulic Engineering*, ASCE, Vol. 132, No. 1, January, 77-86. [J]

**111. Chlebek, J. and Knight, D.W., 2006** , A new perspective on sidewall correction procedures, based on SKM modelling , *RiverFlow 2006*, September, Lisbon, Portugal, Vol.1, [Eds Ferreira, Alves, Leal & Cardoso], Taylor & Francis, 135-144. [C]

**112. McGahey, C., Samuels, P.G. & Knight, D.W., 2006** , A practical approach to estimating the flow capacity of rivers – application and analysis, *RiverFlow 2006*, September, Lisbon, Portugal, Vol.1, 303-312. [C]

**113. Bousmar, D., Atabay, S., Knight, D.W., & Zech, Y., 2006** , Stage-discharge modelling in mobile bed compound channels, *RiverFlow 2006*, September, Lisbon, Portugal, Vol. 1, 333-341. [C]

**114. Omran, M. and Knight, D.W., 2006** , Modelling the distribution of boundary shear stress in open channel flow, *RiverFlow 2006*, September, Lisbon, Portugal, Vol. 1, [Eds Ferreira, Alves, Leal & Cardoso], Taylor & Francis, 397-404. [C]

**115. Atabay, S., and Knight, D.W., 2006** , 1-D modelling of conveyance, boundary shear and sediment transport in overbank flow, *Journal of Hydraulic Research, IAHR*, Vol. 44, No. 6, 739-754. [J]

**116. Knight, D.W., Cao, S., Liao, H., Samuels, P.G., Wright, N.G., Liu, X. and Tominaga, A., 2006**, Floods – are we prepared?, *Journal of Disaster Research*, Fuji Technology Press, Tokyo, Japan, Vol. 1, No. 2, 325-333. [J]

**117. Knight, D.W., Omran, M. & Tang, X., 2007**, Modelling depth-averaged velocity and boundary shear in trapezoidal channels with secondary flows, *Journal of Hydraulic Engineering*, February, ASCE, Vol. 133, No. 1, January, 39-47. [J]

**118. Yang, K., Cao, S. & Knight, D.W., 2007**, Flow patterns in compound channels with vegetated floodplains, *Journal of Hydraulic Engineering*, February, ASCE, Vol. 133. No. 2, 148-159. [J]

- 119. Knight, D.W., Tang, X., and McGahey, C., 2007**, A method for analysing stage-discharge, velocity and boundary shear stress data for rivers in flood, in Sustainable Water Management and River Development [ Eds Lin Luo & Shaw Lei Yu], *Proc. 5th Int. Conf. on Urban Watershed Management and Mountain River Protection and Development* , Chengdu, China, April 3-5, Vol I, Sichuan University Press, 52-64. [C]
- 120. Liao, H. and Knight, D.W., 2007**, Analytic depth-averaged velocity and boundary shear stress distributions for V-shaped channel with vertical side walls, in Sustainable Water Management and River Development [ Eds Lin Luo & Shaw Lei Yu], *Proc. 5th Int. Conf. on Urban Watershed Management and Mountain River Protection and Development* , Chengdu, China, April 3-5, Vol I, Sichuan University Press, 289-297. [C]
- 121. Knight, D.W. and Samuels, P.G., 2007** , Examples of recent floods in Europe, *Journal of Disaster Research*, Fuji Technology Press, Tokyo, Japan, Vol. 2, No. 3, 190-199. [J]
- 122. Tang, X. and Knight, D.W., 2007** , An improved discharge prediction method for overbank flows, *Proc. 32 nd Congress of IAHR*, Venice, Italy, Paper C1.c, 1-10. [C]
- 123. Omran, M, Atabay, S., & Knight, D.W., 2007** , Modelling sediment transport in rectangular channels using a depth-averaged velocity approach, *Proc . 32 nd Congress of IAHR*, Venice, Italy, Paper A2.b, 1-10. [C]
- 124. Ardicliogu, M. and Knight, D.W., 2007** , Application of SKM method for different rough surfaces flows in rectangular channel, *Proc. 32 nd Congress of IAHR*, Venice, Italy, Paper B1.d, 1-10. [C]
- 125. Liao, H. and Knight, D.W., 2007**, Analytic stage-discharge formulae for flow in straight prismatic open compound channels, *Journal of Hydraulic Engineering*, ASCE, Vol. 133, No. 10, October, 39-47. [J]
- 126. Liao, H. and Knight, D.W., 2007**, Analytic stage-discharge formulae for flow in straight trapezoidal open channels, *Advances in Water Resources*, Elsevier, Vol. 30, Issue 11, November, 2283-2295. [J]
- 127. Seckin, G., Haktanir, T. and Knight, D.W., 2007**, A simple method for estimating flood flow around bridges, *Water Management*, Proceedings of the Instn. of Civil Engineers, London, 160, Issue WM4, December, 195-202. [J]
- 128. Knight, D.W., 2008**, Modelling overbank flows in rivers – data, concepts, models and calibration, Chapter 1 in *Numerical Modelling of Hydrodynamics for Water Resources* [Eds P Garcia-Navarro & E Playan], Taylor & Francis, 3-23. [B]
- 129. Seckin, G., Knight, D.W., Atabay, S. & Seckin, N., 2008**, Effect of the Froude number on the assessment of the bridge afflux, *Water Management*, Proceedings of the

Instn. of Civil Engineers, London, Vol. 161, Issue WM2, April, 97-104. [J]

**130. Tang, X. and Knight, D.W., 2008** , A general model for predicting the lateral depth-averaged velocity distributions in open channel flows, *Advances in Water Research*, Vol. 31, Issue 5, 846-857. [J]

**131. Morvan, H., Knight, D.W., Wright, N.G., Tang, X. & Crossley, M., 2008**, The concept of roughness in fluvial hydraulics and its formulation in 1-D, 2-D & 3-D numerical simulation models, *Journal of Hydraulic Research, IAHR*, Vol. 46, No. 2, 191-208. [J]

**132. Tang, X. and Knight, D.W., 2008** , Lateral depth-averaged velocity distributions and bed shear in rectangular compound channels, *Journal of Hydraulic Engineering*, ASCE, 134, No. 9, September, 1337-1342. [J]

**133. Omran, M., Knight, D.W., Beaman, F. and Morvan, H., 2008** , Modelling equivalent secondary current cells in rectangular channels, *RiverFlow 2008*, [Eds M.S. Altinakar, M.A. Kokpinar, I. Aydin, S. Cokgar & S. Kirkgoz], Cesme, Turkey, Vol. 1, 75-82. [C]

**134. Omran, M., Atabay, S., Knight, D.W. and Seckin, G., 2008** , Boundary conditions for a depth-averaged flow model in overbank flow, *RiverFlow 2008*, [Eds M.S. Altinakar, M.A. Kokpinar, I. Aydin, S. Cokgar & S. Kirkgoz], Cesme, Turkey, Vol. 1, 485-492. [C]

**135. Chlebek, J. and Knight, D.W., 2008** , Observations on flow in channels with skewed floodplains, *RiverFlow 2008*, [Eds M.S. Altinakar, M.A. Kokpinar, I. Aydin, S. Cokgar & S. Kirkgoz], Cesme, Turkey, Vol. 1, 519-527. [C]

**136. Sharifi, S., Knight, D.W. and Sterling, M., 2008** , Modelling flow using SKM and a multi-objective evolutionary algorithm, *RiverFlow 2008*, [Eds M.S. Altinakar, M.A. Kokpinar, I. Aydin, S. Cokgar & S. Kirkgoz], Cesme, Turkey, Vol. 3, 2149-2158. [C]

**137. Knight, D.W., 2008**, A review of some laboratory and field data for checking models of rivers with inbank and overbank flows, *Advances in Hydro-Science and Engineering* , Vol. VIII, Proc. 8<sup>th</sup> International Conference on Hydro-science and Engineering, ICHE, [Eds S.S.Y. Wang, M. Kawahara, K.P. Holtz, T. Tsujimoto & Y. Toda], Nagoya, Japan, Sept., Abstract book 201-202 and full paper in CD 812-821. [C]

**138. Gunawan, B., Sun, X., Sterling, M., Knight, D.W., Shiono, K., Chandler, J., Rameshwaran, P., Wright, N.G., Sellin, R.H.J., Tang, X., and Fujita, I., 2008** , An integrated and novel approach to estimating the conveyance capacity of the river Blackwater, *Advances in Hydro-Science and Engineering* , Vol. VIII, Proc. 8<sup>th</sup> International Conference on Hydro-science and Engineering, ICHE [Eds S.S.Y. Wang, M. Kawahara, K.P. Holtz, T. Tsujimoto & Y. Toda], Nagoya University, Japan, Sept.,

Abstract book 221-222 and full paper in CD 903-912. [C]

**139. Seckin, G., Knight, D.W., Atabay, S. & Seckin, N., 2008**, Improving bridge afflux prediction for overbank flows, *Water Management*, Proceedings of the Instn. of Civil Engineers, London, Vol. 161, Issue WM5, October, 253-260. [J]

**In press**

**140. Knight, D.W. and Tang, X., 2008** , Zonal discharges and boundary shear in prismatic channels, *Journal of Engineering and Computational Mechanics*, Proceedings of the Instn. of Civil Engineers, London, EM1, 1-10. [J]

**141. Barker, D.M., Lawler, D.M., Knight, D.W., Morris, D.G., Davies, H, and Stewart, E.J., 2008**, Longitudinal distributions of river flood power: the combined automated flood, elevation and stream power (CAFES) methodology, *Earth Surface Processes and Landforms*, J Wiley, [J]

**142. Knight, D.W., Aya, S., Ikeda, S. Nezu. I., and Shiono, K., 2008** Flow structure, [Chapter 2 in *Flow and sediment transport in compound channels: the experiences of Japanese and UK research*, IAHR monograph [Eds: S. Ikeda & I. K. McEwan] [B]

**143. Sharifi, S, Knight, D.W. and Sterling, M., 2008** , A novel application of a multi-objective evolutionary algorithm in open channel flow modelling, *Journal of Hydroinformatics*, IWA Publishing, [J]

**144. Tang, X. and Knight, D.W., 2009** , Analytical models for velocity distributions in open channel flows, *Journal of Hydraulic Research, IAHR*, [J]

**Submitted for publication:**

**145. McGahey, C., Knight, D.W. & Samuels, P.G., 2009** , Advice, methods and tools for estimating channel roughness, *Water Management*, Proceedings of the Instn. of Civil Engineers, London. [J]

**146. Rezaei, B. and Knight, D.W., 2009** , Application of the Shiono and Knight Method (SKM) in compound channels with non-prismatic floodplains, ASCE,? [J]

**147. Knight, D.W., McGahey, C., Lamb, R., Samuels, P.G. & Millington, R., 2009**, *Practical Channel Hydraulics – Roughness, Conveyance and Afflux*, Taylor & Francis, 1-300. [B]

**In preparation:**

**Rezaei, B. and Knight, D.W., 2009**, Overbank flow in compound channels with non-prismatic floodplains, [J]

**Swann, A.B. and Knight, D.W., 2009**, On ‘Wits End’ (a curious numerical

phenomenon) and its relevance to open channel flow computations, [J]

**Omran, M. & Knight, D.W., 2009**, Modelling compound trapezoidal channels using a two layer approach, *Journal of Hydraulic Engineering* , ASCE [J]

**Tang, X. and Knight, D.W., 2008** , Velocity distributions in lateral shear layers in open channel flows, [C]

#### **Other Publications:**

#### **DISCUSSIONS**

**1. Knight, D.W., 1970**, Scale Effects in Models of Shallow Tidal Waters, *Proceedings of the Institution of Civil Engineers*, Supplementary Vol.(ix), Paper 7209S, 195-221.

**2. Knight, D.W., 1973**, Boundary Shear Distribution in Channels with Varying Wall Roughness, *Proceedings of the Institution of Civil Engineers*, Part 2, Vol. 55, June, 503-511.

**3. Knight, D.W., 1975**, Transition in Oscillatory Flow over Rippled Beds, *Proc. Institution of Civil Engineers*, Part 2, Vol.59, Dec., 885-896.

**4. Knight, D.W., 1977**, Quadratic Finite Elements in Shallow Water Problems, *Journal of the Hydraulics Division*, ASCE, Vol.103, No.HY6, June, 676-677.

**5. West, J.R. and Knight, D.W., 1979**, A study of Resistance and Dispersion Coefficients in the Conwy Estuary, *Proceedings of the United Kingdom Geophysical Assembly - 3*, *Geophysical Journal of the Royal Astronomical Society*, April, 57, 10.

**6. Knight, D.W. and Shiono, K., 1991**, Turbulence measurements in a shear layer region of a compound channel, *Journal of Hydraulic Research*, IAHR, Vol. 29, No. 2, 259-276.

**7. Sterling, M.S. and Knight, D.W., 2003**, Resistance and boundary shear in circular conduits with flat beds running part full, *Proc. Instn. of Civil Engineers, Water and Maritime Engineering*, London, Vol. 156, Issue WM2, June, 211-213.

**8. Tang, X., Knight, D.W., and Samuels, P.G., 2003**, Wave speed-discharge relationship from cross-section survey, *Proc. Instn. of Civil Engineers, Water and Maritime Engineering*, London, 156, Sept., Issue WM3, 290.

**9. Abril, J. and Knight, D.W., 2004**, Stabilising the Paute River, *Civil Engineering*, Proceedings of the Instn. of Civil Engineers, London, 157, Issue 3, August, 106. [J]

## REPORTS:

1. **Knight, D.W., and West, J.R., 1975**, Preliminary Report on conditions in the Conwy estuary, *Tidal Waters Research Group*, Report No. TWRG/1, The University of Birmingham, 1-65.
2. **Knight, D.W., and West, J.R., 1976**, A study of the hydrodynamic and water quality characteristics of the Usk estuary, *Tidal Waters Research Group*, Report No. TWRG/2, The University of Birmingham, Vol.1, 1-102.
3. **Knight, D.W. and West, J.R., 1978**, Hydrographic and hydrodynamic data for the Conwy estuary, *Tidal Waters Research Group*, Report No. TWRG/4, The University of Birmingham, 1-37.
4. **Knight, D.W., West, J.R. and Shiono, K., 1979**, Interim Report : Vertical turbulent exchange in tidal flows, *Tidal Waters Research Group*, Report No. TWRG/5, The University of Birmingham, October, 1-50.
5. **Knight, D.W. and West, J.R., 1981**, An investigation of resistance and dispersion coefficients in a natural estuary, *Final Report for the Natural Environment Research Council*, July, 1-31.
6. **Knight, D.W. and Lai, C.J., 1986**, Compound duct flow data, Vol. 10 - Summary of experimental results, *School of Civil Engineering Internal Report*, The University of Birmingham, December, 1-73.
7. **Knight, D.W., 1988**, River Chelt diversion structure, *Final report for Cheltenham Borough Council*, School of Civil Engineering, The University of Birmingham, October, 1-105.
8. **Knight, D.W., 1989**, River channels and flood plains, *Final report for Severn-Trent Water Authority*, School of Civil Engineering, The University of Birmingham, May, 1-102.
9. **Knight, D.W., 1989**, Turbulent flow in compound channels and ducts, *Final Report for the Science and Engineering Research Council*, March, 1-54.
10. **Knight, D.W., 1990**, Boundary shear stress distributions and turbulence structure in compound channels, *Final Report for the Science and Engineering Research Council*, March, 1-38.
11. **Knight, D.W. and Yuen, K.W.H., 1990**, Simple trapezoidal channel flow data, *Summary of Experimental Results, Civil Engineering Department Internal Report*, University of Birmingham, October, pp.1-
12. **Knight, D.W. and Yuen, K.W.H., 1990**, Compound Trapezoidal Channel Flow

Data, *Summary of Experimental Results, Civil Engineering Department Internal Report*, University of Birmingham, October, 1-

**13. Knight, D.W., 1991**, Upper Pittville Lake Siphon Structure, *Final Report for CheltenhamBorough Council*, April, pp. 1-62.

**14. Knight, D.W., 1992**, SERC Flood Channel Facility experimental data - Phase A, Vols. 1-15, School of Civil Engineering, The University of Birmingham, May, (available from HR Wallingford, Oxon, OX10 8BA, UK).

**15. Knight, D.W., 1992**, Turbulent structure of shear flows in natural river systems, *Final Report for the Science and Engineering Research Council*, May, 1-

**16. Knight, D.W., 1992**, Technical review of DoE sponsored work at Hydraulics Research Ltd., Wallingford, *Report for Department of the Environment*, The University of Birmingham, December, pp1-88.

**17. Knight, D.W., 1997**, Performance characteristics of bridgeflow kerb channel units for the drainage of bridge pavement surfaces, *Final report on hydraulic performance tests for CIS Ltd.*, The University of Birmingham, March, 1-160.

**18. Knight, D.W., 1997**, River basin management software, *Final report on a Teaching Company Scheme with HR Wallingford*, EPSRC/TCS grant No GR/J62463, 1-14.

**19. Knight, D.W., 1997**, Performance characteristics of bridgeflow kerb channel units for the drainage of bridge pavement surfaces, *Final report to EPSRC/DoTon grant GR/K56704*, 1-

**20. Knight, D.W., 1997**, The influence of boundary shear stress on the geomorphology of river channels at high stage, *Final report to EPSRC on grant GR/J63095*, 1-

**21. Knight, D.W., 1999**, Pressure drop - discharge relationships of Y strainer filters, *Report on laboratory tests for MA Bigland (Preparations) Ltd*, Design Prototype Development Engineers, 1-50.

**22. Knight, D.W., 1999**, Derivation of routing parameters from cross section survey, *Final report to MAFF on grant ECG 552*, 1-28

**23. Knight, D.W., 2001**, Conveyance in 1-D river models, *Report for HR Wallingford & the Environment Agency*, [part of 'Reducing uncertainty in river flood conveyance project'], March, 1-29.

**24. G. Fleming, Frost, L., Huntingdon, S., Knight, D.W., Law, F.M. & Rickard, C., 2001**, Learning to live with rivers, *Final report of the Institution of Civil Engineers' Presidential Commission to review the technical aspects of flood risk management in*

*England and Wales*, November, 1-83.

**25. Knight, D.W., 2002**, A review of current knowledge on bridge afflux, *A review paper for JBA Consulting Engineers & Scientists and the Environment Agency*, [part of 'Scoping study into hydraulic performance of bridges and other structures, including the effect of blockage, at high flows], January, 1-35.

**26. Knight, D.W., and Atabay, S.A., 2002**, Bridge afflux experiments in compound channels, *A technical paper for JBA Consulting Engineers & Scientists and the Environment Agency*, [part of 'Scoping study into hydraulic performance of bridges and other structures, including the effect of blockage, at high flows], January, 1-35.

**27. Knight, D.W., 2002**, Development and comparison of methods for improved prediction of roughness and velocities for instream habitats, *Final report to EPSRC on grant GR/M80635/01*, 1-.

**28. Knight, D.W., 2002**, Sediment transport in river models with overbank flows, *Final report to EPSRC on grant GR/M41797*, 1-.

**29. Knight, D.W., 2002**, A scheme for enabling the adoption and application of alternative conveyance formulations in river models, *Final report to EPSRC on grant GR/M13202*, 1-.

**30. Knight, D.W., 2003**, A note on the determination of boundary shear stress in CFX-5, *Internal research report to CFX*, Birmingham & Nottingham Universities, 1-

**31. Knight, D.W. and Ramsbottom, D.R., 2004**, A vision concerning the hydraulics knowledge base required in river engineering and associated research needs, *Report to Defra & Environment Agency, Theme Advisory Group on Fluvial, Estuarine and Coastal Flow Processes*, 1-34.

**32. Knight, D.W., 2005**, Modelling of open channel flow to illustrate the effects of channel shape and heterogeneous roughness, *Joint final report with Nottingham University to EPSRC on grants GR/R43716/01 and GR/R43723/01*